
Everlux®

WAYFINDING SIGNAGE & SYSTEMS FOR **HIGH-RISE RESIDENTIAL** BUILDINGS






Wayfinding signage & systems for high-rise residential buildings (11m+)

Since 2019 there has been a requirement for "Storey & Dwelling Indicator Signage" (as prescribed by BS 8629:2019 & the Building (Scotland) Regulations 2004 Domestic Technical Handbook) to be installed in high rise blocks of flats and HMOs with a height of 18m or more.

However, the new Fire Safety (England) Regulations 2022 state the following and will make it a mandatory requirement in England under Regulation 8 for the appropriate signage to be installed in high-rise residential buildings 11m or taller from 23rd January 2023:



Wayfinding signage

8.— (1) The responsible person in relation to a high-rise residential building **must** ensure that the building contains clear markings of floor identification and identification of domestic premises.

(2) For the purposes of paragraph (1), the "markings" means an identification designed and located in accordance with the guidance in Volume 1 of Approved Document B on each landing within the stairways and in the lift lobbies of the floor level marked in such a way as to be visible both in **low level lighting conditions** or when illuminated with a torch.

The Fire Safety (England) Regulations 2022 instruct that guidance should be sought from the Building Regulations 2010: Approved Document B – Volume 1: Dwellings (2019 ed. inc. 2020 amendments – para. 15.13 - 15.16) which states:


"Wayfinding Signage for the Fire Service to assist the fire service to identify each floor in a block of flats with a top storey more than 11m above ground level floor identification signs and flat indicator signs should be provided"

and that:

"the signs should be located on every landing of a protected stairway and every protected corridor/lobby (or open access balcony) into which a firefighting lift opens".

The Everlux range of Wayfinding Signage is fully compliant with the prescribed requirements of the appropriate Standards and Regulations mentioned above and their photoluminescent performance will provide reassurance to building stakeholders and fire safety professionals even "in low level lighting conditions". Put simply, if your clients include stakeholders with responsibility for blocks of flats or HMOs in excess of 11m this bespoke signage will be a mandatory requirement.

The illustrations below provide guidance with regard to the locations and positioning that should be considered when installing Wayfinding Signage:



Bespoke wayfinding signage

The Everlux bespoke wayfinding signage range allows complete flexibility for the key elements of each individual sign including:

Storey/Floor Detail
Flat/Accommodation Detail
Direction of Arrows
Building Name
Stakeholder Logo (requires file copy of logo
JPG, PNG, Vector or similar)


When ordering it is important to ensure the detail for each individual sign is specified and accurate.

Artwork proofs will be supplied for approval before production of the signage commences. Any changes required after production will be chargeable.

400x400


(mm)

600x600















Additional signage indicating all building Floor/Level details can also be supplied to supplement mandatory Wayfinding signage


Modular wayfinding signage

The wayfinding signage can also be installed as a modular system comprising of all the prescribed elements positioned as shown in the illustration on the right.

Storey/Floor Detail
Flat/Accommodation Detail
Direction of Arrows









Low location lighting (LLL) wayfinding indicators


The benefits of having wayfinding indicators also positioned at the Low Location Level (< 300mm from floor level) when the stairwells and lobby areas are subject to restricted vision due to the effects of smoke accumulation cannot be understated. They can be positioned either as singular elements or as part of a full LLL system (BS ISO 16069: 2017) and will replicate the prescribed information positioned directly above on the wayfinding signage.

For details of full LLL system range please see pages 80 - 95 of Everlux catalogue





83x83



Low location lighting (LLL) flat/dwelling indicators


Following the 2010 fire at Shirley Towers in Southampton, where two firefighters tragically lost their lives, the Coroner invoked Rule 43 and in Section 9 advocated the following:

9. It is recommended that there should be an obligation to:

a. provide signage to indicate floor levels both in stairwells and lift lobbies in high rise premises, to assist the emergency services
a provision met by the requirement of wayfinding signage as prescribed by The Fire Safety (England) Regulations 2022.

b. ensure that signage indicating flat numbers and emergency exits in high rise premises are placed at a low level to increase visibility in smoke conditions.

Although formal changes to the appropriate legislation and Standards were not implemented with regard to flat/dwelling indicator signage being positioned on the main flat entrance door frames, many stakeholders, including local authorities and housing associations, have voluntarily included these wayfinding elements as part of a holistic system for the benefit of fire-fighters should the evacuation of a high-rise residential building be necessary.



Signage for escape windows & ladders

In certain circumstances the provision of escape windows in dwellings is a mandatory requirement as prescribed by the Building Regulations 2010: Approved Document B – Volume 1: Dwellings:

- All habitable rooms (excluding kitchens) at the ground storey should have an emergency escape window or door (if they do not have an opening directly onto a hall leading to a final exit)
- Escape from upper storeys to a maximum height of 4.5m above ground level: Where served by only one stair, all habitable rooms (excluding kitchens) should have either an emergency escape window or external door when they don't have direct access to a protected stairway.
- To indicate the location of an emergency window for escape with a permanently fixed escape ladder





To indicate the location of a permanently fixed escape ladder




2 To indicate the location of a rescue window for evacuation by the fire & rescue services



(mm) 150x150 200x200 300x300 400x400

Escape plans _

Escape Plans can complement the established evacuation planning for any high-rise residential building as they illustrate clearly to all potential evacuees the storey/floor layout and the evacuation routes, fire exits and the location of key fire-fighting and evacuation equipment such as fire alarm call points and evacuation chairs as well as the location of the Assembly Point(s) or dedicated places of safety.



400x300 600x400 900x600



PR VFE

(mm) 200x300

For more details of the full range of Everlux Escape Plans please see pages 47 – 50 of Everlux catalogue.

Safety instructions and fire notices _

The Fire Safety (England) Regulations 2022 will make it a legal requirement from 23 January 2023 for responsible persons of all multi-occupied residential buildings in England with two or more sets of domestic premises (and which have common parts), to provide residents with fire safety instructions. Responsible persons should make sure that these instructions are shared with their residents in a form that residents can reasonably be expected to understand.

Responsible persons will need to provide residents with instructions on:

- how to report a fire
- a reminder of what the evacuation strategy is for that building,

• any other instruction that tells residents what they must do once a fire has occurred, based on the building's evacuation strategy.

Responsible persons should display these instructions clearly in their building's communal areas (such as the building's lobby or any conspicuous part of the building) and share directly with residents when they move into the building. This information will need to be re-provided in both the communal area and to residents when a document is updated. This information must also be re-provided to residents on an annual basis.

If the generic Fire Action Notice options shown above are not suitable then please contact us for details and a quotation to supply site/building specific notices. In order to provide a quotation we will require the following information:








8W 701

8W 702

150x200

200x300

8W 703





Scanning the QR Code will allow non-English speakers access to an online menu whereby they will be able to read the Fire Action Notice in multiple language translations. Currently there are 10+ languages available but additional languages will be added in the future with 25+ languages being the ultimate aim.

🖄 Size
Quantity
Outline text
File copy of any
stakeholder logo to be
featured

8W 705

For more information please **contact us** using the details below:

Mark Bridgens (UK Sales Manager) Mobile: 07970 104635 mark-bridgens@evelux.com

Commercial Team Freephone: 0808 234 2162 <u>commercial@everlux.com</u> www.everlux.com

